

Everything you need to know about

Plain adhesive fillings

For more information or an Appointment Please call 1826666 Ext. 2535





















What is plain adhesive filling?

It is a cover made of special material like plastic placed on the chewing surfaces of back teeth. These surfaces contain cracks and depressions described as:

- Areas of the tooth which are more prone to decay.
- Gather the greatest amount of germs and food debris.
- Toothbrush does not reach the depth of these cracks and tooth decay often starts from these areas in children and adolescents.

Plain adhesive fillings cover these areas and prevent the arrival of food debris and bacteria and thus prevent from tooth decay.

What are the teeth that can be covered with plain adhesive fillings?

Permanent back molars are appropriate for the application of plain adhesive fillings. The first permanent molar usually emerges at the age of 6 years and the second permanent molar at the age of 12 years. These fillings are preferably applied directly after the completion of molars premolar in the mouth, and before they get decayed.

Thus, children between the ages of 5 years to 15 years of age benefit the most from plain adhesive fillings.

How to apply plain adhesive fillings?

The application of these fillings does not require digging or removing parts of the

tooth. It is easy and simple and is carried out through the following steps:

- 1. The tooth must be isolated before the application of plain adhesive fillings and through the use of rubber barrier.
- 2. The tooth is to be cleaned using a special paste and then washed.
- 3. The plain adhesive filling is applied to the tooth and then made tough by exposing it to harmless blue light rays.

Can the plain adhesive fillings be noticeable?

These fillings can be seen through the scrutiny that can be white or transparent and cannot be seen during the talk and laughter because it is a thin layer located on the back teeth so they do not cause any inconvenience to the child.

How long does plain adhesive filling last on the teeth?

These fillings can last for a period of 5 to 10 years. Periodic checkups of the teeth are recommended. If lost before this period re-apply these fillings.

Can plain adhesive fillings replace fluoride?

Of course not, plain adhesive fillings provide protection to the depressions on the occlusal surfaces of back teeth, while fluoride provides protection for all surfaces, especially surfaces adjacent to the teeth (surfaces between the teeth). Plain adhesive fillings and fluoride work together to prevent tooth decay.

Is plain adhesive filling sufficient alone for the prevention of teeth decay?

Of course not, plain adhesive fillings must be part of an integrated program to prevent tooth decay. This program should contain the following:

- 1.Learn the correct way of brushing teeth and use dental floss.
- 2. Plain adhesive fillings.
- 3. The use of fluoride.
- 4. Clean teeth and remove plaque.
- 5. Appropriate diet.
- 6. Periodic examination of the teeth.

Which is better application of plain adhesive fillings immediately after eruption of the teeth, or waiting until the occurrence of tooth decay?

Plain adhesive fillings help protect the teeth, while the decay leads to the loss of part of the tooth structure.

Each time the tooth is filled or the old filling replaced, additional parts of the tooth structure will not inevitably get lost.

هل تكفي الحشوات السادة اللاصقة لوحدها لوقاية الأسنان من التسوس؟

بالطبع لا فالحشوات السادة اللاصقة يجب أن تكون جزء من برنامج متكامل لوقاية الأسنان من التسوس ويجب أن يحتوي هذا البرنامج على:

١- تعلم الطريقة الصحيحة لتفريش الأسنان واستخدام الخيط السني.

٢- الحشوات السادة اللاصقة.

٣- استخدام الفلورايد.

٤- تنظيف الأسنان وإزالة طبقة الجير.

٥- النظام الغذائي المناسب.

٦- الفحص الدوري للأسنان.

هل الأفضل هو: تطبيق الحشوات السادة اللاصقة أم الانتظار لحين حدوث تسوس الأسنان ومن ثم حشوها ؟

تساعد الحشوات السادة اللاصقة على حماية الأسنان السايمة بينما يؤدي التسوس إلى ضياع جزء من بناء السن. وفي كل مرة يتم فيها حشو السن أو استبدال الحشوة القديمة فإن أجزاء إضافية من بناء السن سوف تفقد بالضرورة.

٣- يتم تطبيق الحشوة السادة اللاصقة على السن.

٤- يتم وضع الحشوة وجعلها قاسية عن طريق تعرضها
لأشعة ضوئية زرقاء غير ضارة.

هل يمكن رؤية الحشوات السادة اللاصقة؟

يمكن رؤية هذه الحشوات خلال الفحص الدقيق التي يمكن أن تكون ذات لون أبيض أو شفافة.

ولا يمكن رؤيتها أثناء الكلام والضحك لأنها عبارة عن طبقة رقيقة موجودة على الأسنان الخلفية، وبذلك فإنها لا تسبب أي إزعاج للطفل.

ما هي فترة استمرار وجود الحشوات السادة اللاصقة على الأسنان؟

يمكن لهذه الحشوات أن تستمر لفترة تمتد من ٥ إلى ١٠ سنوات.

يجب إجراء الفحص الدوري للأسنان وإعادة تطبيق هذه الحشوات إذا فقدت قبل هذه الفترة.

هـل يمكـن أن تحل الحشـوات السادة اللاصقـة محل الفلورايد؟

بالطبع لا. فالحشوات السادة اللاصقة تؤمن العماية للمنخفضات الموجودة على السطوح الإطباقية للأسنان الخليفة، بينما يؤمن الفلوريد العماية لكافة السطوح السنية وخصوصا السطوح الملاصقة للأسنان (السطوح بين الأسنان).

فالحشوات السادة اللاصقة والفلورايد يعملان معا لوقاية الأسنان من التلوث

- تتجمع فيها أكبر كمية من الجراثيم وفضلات الطعام.
 - فرشاة الأسنان لا تصل إلى عمق هذه التشققات.
- وغالبا ما يبدأ تسوس الأسنان من هذه المناطق عند الأطفال والمراهقين. الحشوات السادة اللاصقة تغطي هذه المناطق وتمنع وصول بقايا الطعام والجراثيم إليها وبذلك تمنع حدوث التسوس.

ما هي الأسنان التي يمكن وضع الحشوات السادة اللاصفة عليها؟

الطواحين الخلفية الدائمة هي الأسنان المناسبة لتطبيق الحشوات السادة اللاصقة عليها.

الضرس الأول الدائم عادة ما تبزغ في عمر ٦ سنوات والطواحين الثانية الدائمة في عمر ١٢ سنة.

ويفضل تطبيق هذه الحشوات مباشرة بعد تمام بزوغ الطواحين في الفم، وقبل أن تصاب بالتسوس.

وبذلك يكون الأطفال بين عمر ٥ سنوات إلى عمر ١٥ سنة هم الأكثر استفادة من الحشوات السادة اللاصقة.

كيف يتم تطبيق الحشوات السادة اللاصقة؟

لا يحتاج تطبيق هذه الحشوات إلى حضر أو إزالة أي جزء من السن وهو إجراء سهل وبسيط ويتم عبر الخطوات التالية:

١- يجب عزل السن المراد تطبيق الحشوات السادة اللاصقة
عليه ويفضل استخدام الحاجز المطاطى.

٢- يتم تنظيف السن باستخدام معجون خاص ثم يغسل
السن .



کل ما ترید أن تعرفه عن

الحشوات السادة اللاصقة

للاستفسار وحجز المواعيد يرجى الإتصال على 6666 182 داخلى 2535























