



مستشفى المواسة الجديد
NEW MOWASAT HOSPITAL

كل ما تحتاج معرفته عن

إلتهاب اللوزتين الحاد

للاستفسار وحجز المواعيد
يرجى الإتصال 182 6666



نرعى الأجيال
CARING FOR GENERATIONS

أعراض التهاب اللوزتين الحاد


أعراض التهاب اللوزتين تشمل صعوبة وألام فى البلع مع إرتفاع شديد بالحرارة وألم بالعقد الليمفاوية فى جانى العنق

وقد يسبب التهاب اللوزتين البكتيرية مضاعفات نادرة الحدوث ولكنها خطيرة مثل إمتداد الإلتهابات إلى المناطق حول اللوزتين مسبب ما يسمى ”خراج حول اللوزتين“ أو حمى روماتيزمية أو إلتهاب بالكلى

تكثر الإصابة بإلتهاب اللوزتين لدى الأطفال وكذلك هم أكثر عرضة لأنها تسبب لهم ”إنقطاع النفس الأنسدادي النومي“ خاصة إذا كان تضخم اللوزتين كبير

اللوزتين العاديتين

التهاب اللوزتين



علاج التهاب اللوزتين

علاج التهاب اللوزتين الحاد الغير بكتيرى يكون بإعطاء السوائل الكافية، توفير الأطعمة والمشروبات المناسبة، الغرغرة بالمياه المالحة، ترطيب الهواء، إستخدام حبوب الإستقلاب المهدئة، معالجة الألام والحمى

وتستخدم المضادات الحيوية مثل البنيسيلين فى حالات إلتهاب اللوزتين البكتيرى الناتجة عن الجراثيم العقدية وأذا كان المريض لديه حساسية من البنيسيلين يعطى المضادات الحيوية البديلة

فى حالة إلتهاب اللوزتين المزمن لا يكون إستئصال اللوزتين هو العلاج مثلما كان شائعاً من قبل. ولكن المتبع الآن فى مثل هذه الحالات هو التعامل مع الميكروبات المسببة والمتعايشة بمنطقة اللوزتين وألقرية منها وكذلك إكتشاف والتعامل مع مسببات الإلتهابات الموضعية بنفس المنطقة مثل الحساسية وإرتجاع المرىء


ذلك من أجل التأكيد على أهمية وظيفة اللوزتين فى دعم جهاز المناعة بالجسم عامة والمناعة الموضعية بالبلعوم والحلق خاصة

Symptoms of Acute Tonsillitis

Acute tonsillitis associated with sore throat, painful swallowing, fever and tender cervical lymph nodes

It may cause significant morbidity for the patient and family, however serious complications are rare; these includes acute cervical adenitis with abscess, peritonsillar abscess, post-streptococcal glomerulonephritis and rheumatic fever

Children at particular risk for the development of obstructive sleep (or awake) disturbances secondary to tonsillar hypertrophy



Treatment of Acute Tonsillitis

Antibiotic offer a clear clinical benefit for acute tonsillitis, in addition; provide adequate fluids, Provide comforting foods, prepare a saltwater gargle, humidify the air, offer lozenges, treat throat pain and fever. Penicillin is the first line antibiotic in acute tonsillitis due to "Group A Beta Hemolytic Streptococcus". If patient is allergic to penicillin, an alternative antibiotic can be prescribed

In past the usual approach to disease in tonsils has been surgical removal. But the role of chronic infection, alteration in the relation with commensal microorganisms, recognition of the role of environmental inflammation from allergic and esophageal reflux disorder, a great understanding of the role of tonsils in both local and systemic immunity and the development of alternative form of therapy have led to a reevaluation of this approach

Unless hypertrophy of the tonsils or significant indications of tonsillectomy are seen, the tonsils should not be removed. The significant risk from tonsillectomy must be carefully explained



مستشفى المواساة الجديد
NEW MOWASAT HOSPITAL

Everything you need to know about

ACUTE TONSILLITIS

For Appointment

Please call **1826666**



نرعى الأجيال
CARING FOR GENERATIONS



(965) 1 82 6666

@newmowasathospital

new mowasat hospital

www.newmowasat.com

(965) 5082 6666

@nmowasat

new mowasat hospital

Download on the
App Store

Download from
Google play

myMowasat